

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6837	(limit\$3 with (password key secret) with us\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 07:25
L2	701	l1 and (controlling with (time number))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 07:25
L3	164	l2 and expir\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 07:25
L4	98	l3 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 07:43
L5	63	l4 and (retriev\$3 with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 07:44
L6	85	l4 and retriev\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:02
L7	0	"5857020" and (generating with encrypting with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:03
L8	0	"5857020" and ((generating same encrypting) with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:03
L9	5	"5857020" and (generating with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:06
L10	18	"5857020"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:08
L11	32	"5842124"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:11
L12	20	l11 and count\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:20
L13	1	((generating and encrypting) with key).ti.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:23
L14	192	((generating and encrypting) with key).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:23
L15	12	l14 and expir\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:27

L16	29	(limited with us\$4 with (session adj key))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:27
L17	37	(limit\$3 with us\$4 with (session adj key)) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:29
L18	26	l17 and (size byte bytes amount)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:36
L19	0	("clm.generat\$3" with session with random)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:36
L20	108	(generat\$3 with session with random).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:36
L21	91	l20 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:37
L22	15	l21 and expir\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 09:48
L23	10	"5907621"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:05
L24	0	"5907621" and (public adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:05
L25	10	"5857020" and (encrypt\$3 near4 key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:18
L26	7470	(public with key with encryption)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:18
L27	969	l26 and (encrypt\$3 near3 (session adj key))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:19
L28	942	l27 and stor\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:19
L29	807	l28 and (counter counting count accumul\$3 add\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:22
L30	427	l29 and expir\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:20
L31	33	l30 and regenerat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:20

L32	146	l28 and ((counter counting count accumulat\$3 add\$3).clm.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:23
L33	14	l32 and (((elapsed expir\$3) adj time)".clm")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/11 11:23
S1	49	("6154543" "5768381" "5631961" "4964164" "5418854" "5659616" "5848159" "5898779" "5953422" "4868877" "5005200" "5214702" "5764772" "6028938" "6058187" "6169802" "6212281" "6212281" "6230272" "6285991" "6314521" "6341164" "6363154" "6381696" "6385728" "6425081" "6523115" "6567914" "5799086" "5841865" "5850451" "5857022" "5872849" "6009177" "6092201" "6397329" "5608800" "5949882" "5960084" "6119228" "4870681" "5742756" "5745576" "5956407" "6035042" "6038551" "6263437" "6400823" "6490353" "6513118").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:45
S2	134	380/285.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:59
S3	176	380/282.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 08:45
S4	9	(S2 S3) and (reus\$5 with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 08:55
S5	6	(reus\$5 with key).ti.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 08:56
S6	93	(reus\$5 with key).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 08:57
S7	4	(reus\$5 with encrypt\$3 with key). ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 08:58
S8	9	(reus\$5 with encrypt\$3 with key). clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 09:46
S9	0	(reusable with (password key secret data) with encrypt\$3).ti.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 09:47
S10	0	(reusable with (password key secret data) with encrypt\$3).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 09:47

S11	11	(reusable with (password key secret data) with encrypt\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 09:52
S12	198	(regenerat\$3 with (password key secret data) with encrypt\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 09:52
S13	76	S12 and count\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 09:52
S14	74	S13 and time	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 09:54
S15	1	S13 and (elapsed adj time)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 09:55
S16	72	S13 and decrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:04
S17	51	S16 and counter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:04
S18	12	S16 and counter.clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:04
S19	30	S1 and count\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:09
S20	8519	(encrypt\$3 with (password secret key data message) with (public adj key))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:50
S21	7588	(generat\$3 and (encrypt\$3 with (password secret key data message) with (public adj key)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:51
S22	517255	(generat\$3 with (password secret key data message))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:51
S23	6802	S22 and (encrypt\$3 with (public adj key))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:52
S24	483	S23 and reusable	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:52
S25	483	S24 and stor\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:52
S26	331	S25 and counter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:53

S27	158	S26 and (message with bytes)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:53
S28	117	S27 and ((elapsed expired ) adj time)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:54
S29	117	S28 and (maximum with number)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:57
S30	5	S29 and @py<"2002"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 10:54
S31	1	(encrypting near3 (key password secret message data)) with (expir\$3 adj time)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:00
S32	25	(reusable with (key password)).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:02
S33	3	S32 and count\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:01
S34	26	(reusable with (key password)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:05
S35	1	(reusable with password).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:05
S36	25	(reusable with key).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:06
S37	0	(reusable with (private adj key)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:06
S38	0	(reusable with (private adj-key))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:06
S39	208	(counter with (password and time))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:07
S40	69	S39 and expir\$8	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:09
S41	28	S40 and bytes	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:40
S42	16	"4816653" and (maximum with (size byte bytes bits))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:57

S43	1	"5661807" and (maximum with (size byte bytes bits))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:57
S44	7	"5661807" and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:58
S45	116	"5509070" and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:58
S46	15	S45 and reusable	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 11:59
S47	126	S2 and (encrypt\$ with (key password message))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 12:00
S48	47	S47 and (count\$3 increment\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:20
S49	0	(enveloping with random with key with encrypt\$3).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:20
S50	10	(enveloping with random with key with encrypt\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:26
S51	0	generating with randome with key	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:25
S52	1253	(generating with random with key) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:26
S53	185	S52 and (symmetric with algorithm)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:26
S54	1	S53 and (pubic adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:27
S55	25	S53 and reusable	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:49
S56	26	reusable with (password (secret adj key))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:54
S57	2	reusable with (secret adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:55
S58	201	380/45.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:55

S59	115	S58 and (generat\$3 with ((secret adj key) random password))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:55
S60	57	S59 and count\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 13:56
S61	1091	generating with secret with key	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:26
S62	335	S61 and (encrypting with secret with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:27
S63	260	S62 and (public adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:27
S64	74	S63 and (count\$3 with (time number))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:51
S65	38	S64 and expir\$8	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:28
S66	1	(generating with (symmetric adj key\$3)).ti.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:52
S67	7	(generating with (symmetric adj key\$3)).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:53
S68	3850	((generating and encrypting) with ((secret adj key\$3) password key string number))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:54
S69	310	S68 and (multiuse reuse reusable multiuseable)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:55
S70	154	S69 and symmetric	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:55
S71	94	S70 and search\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:57
S72	84	S71 and retriev\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:55
S73	33	S72 and ((elapsed expired) with time)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 14:57
S74	613	encrypting with (user recipient client) with (public adj key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 15:02

S75	338	S74 and (generating with key)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 15:02
S76	114	S75 and count\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 15:03
S77	13	S76 and ((expir\$3 elaps\$3) near4 time)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 15:07
S78	42	"5745574"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 15:08
S79	16	S78 and (generat\$3 with (secret password random))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 15:08